



VENTILATOR ANESTHESIA VENTILATOR WITH PATIENT MONITOR

The Anesthesia ventilator makes a good performance in Intensive Care Units (ICU), Operation room, Anesthesiology Department and other departments. From high to low acuity, simple to complex cases, pediatric to geriatric patients, Perlong Medical Anesthesia Systems offer you the choices you need in ventilation, monitoring and technique. what's more, our expertise in anesthesia delivery and ventilation is based on rich 23-year history of developing anesthesia solutions that meet your needs. Good performance based on High Security, High Accuracy, High Stability and accurate monitoring.

Additional models available:

[BioideVentilatorsList](#)

[Check Price and Availability](#)

SKU: BT-AN01 5

Categories: [Bioide](#), [Machines](#), [Ventilators](#)

PRODUCT DESCRIPTION

The Anesthesia ventilator makes a good performance in Intensive Care Units (ICU), Operation room, Anesthesiology Department and other departments. From high to low acuity, simple to complex cases, pediatric to geriatric patients, Perlong Medical Anesthesia Systems offer you the choices you need in ventilation, monitoring and technique. what's more, our expertise in anesthesia delivery and ventilation is based on rich 23-year history of developing anesthesia solutions that meet your needs. Good performance based on High Security, High Accuracy, High Stability and accurate monitoring.

Trust Points

- I Simplicity: easy to use, easy to move with 4 wheels.
- I Choice: adapt the equipment to your patients and procedures freely
- I Patient Centered Ventilation: Precision in an anesthesia ventilator, from conventional ventilation to advanced modes, including 5 modes: IPPV; A/C; PCV; SIMV; SIGH.
- I Designed and manufactured by Perlong Medical with over 23 years experience in this area.
 - I Flexible configurations to suit your needs.
 - I International standard and advanced technology suitable for wide range use.
 - I Compact interface and big screen give you better operating experience.
 - I Over 2,000 units installed in the world.

Features

- I 10.4" TFT LCD screen displays the Ventilation parameters, Alarming information and Waveform.
 - I High precision flow meter, instantly know the fresh gas flow to your patient.
 - I Integration breathing circuit design, ensure easy operating and keep tidy.
- I Multiple working modes such as volume control and pressure limit, adapt to wide range patient.
- I Vaporizer with temperature, flow compensation and self-lock function, keep safety anytime.
- I Multiple parameters monitoring interface, make every parameter clear, let users know the patient conditions in all aspects;
- I Real time pressure-time, flow-time loop graphics and high precision O2 concentration detection function included.
 - I Vital sign monitor and Anesthetic gas monitor are optional.
 - I ETCO2 module is optional.

Safety

- I Three level alarming system, visual and sound alarm information.
 - I With lots of alarming, reminding and protection functions.
 - I Advanced power management control technology.
- I With built-in backup power source, when outside power source goes off, back-up power source starts to work.
 - I Low O2 pressure alarm and N2O cut-off protection.

Specifications

Ventilation modes:	IPPV; A/C; PCV; SIMV; SIGH
Ventilator parameter ranges	
Flow meter	O2(0.1-10L/min) N2O(0.1-10L/min) AIR(0.1-10L/min)
Rapid oxygen supply	35L/min-75L/min
Tidal volume(Vt)	0, 20 mL ~ 1500 mL
Frequency(Freq)	1bpm ~ 100 bpm
I/E	4:1~1:8
PEEP	0cmH2O ~ 30 cmH2O
Pressure triggering sensitivity(PTr)	-20 cmH2O ~ 0 cmH2O(Based on PEEP)
Flow trigger sensitivity (FTr)	0.5 L/min ~ 30 L/min
Pressure control (PC)	5 cmH2O ~ 60 cmH2O
SIGH	0(off) 1/100 ~ 5/100
Apnea Ventilation	OFF,5 s ~ 60 s
Pressure Limit	20 cmH2O ~ 100 cmH2O
Monitored Parameters	
Frequency(Freq)	0 /min ~ 100 /min
Tidal volume(Vt)	0 mL ~ 2000 mL
MV	0 L/min ~ 100 L/min
Oxygen concentration	15 % ~ 100 %
Graphical display:	
P-T(pressure - time)	

F-T(flow - time)

P-V loop (pressure - volume loop)

Size

Wooden case packing size:L 770*W 890*H 1535mm , GW:151KG ; NW:91.2KG

Additional models available: [BioideVentilatorsList](#)